

SPECIFICATION GUIDE FOR EDUCATIONAL BUILDINGS

PREMIUM ENTRANCE MATTING SYSTEMS

First impressions last



GEGGUS[®]



SPECIFYING THE MOST APPROPRIATE ENTRANCE MATTING SYSTEM


Entrance matting is a safety product. Crucial for the removal of dirt and moisture from footfall traffic and wheels. This improves public safety in buildings by:

- › Helping to prevent slips and trips
- › Prolonging the life of surrounding floor finishes
- › Improving hygiene levels
- › Reducing cleaning requirements

THE 'TOP CLEAN®' ENTRANCE MATTING RANGE – FROM GEGGUS

Entrance matting systems not only have to perform by keeping an area clean and safe, but they also have to complement the overall look and feel of an entrance area. The GEGGUS TOP CLEAN® aluminium entrance mats perform all these tasks effortlessly.

They effectively capture dirt and moisture within a matwell recess to provide a safe and effective barrier, helping to reduce the risk of slips, trips, and falls - while enhancing the overall aesthetics of their surroundings. In doing this, aluminium matting systems also help keep cleaning and maintenance costs down, ensuring that reception areas and internal floors always look at their best.



WHERE ARE ENTRANCE MATTING SYSTEMS USED?

With the right specification, an effective entrance matting system can help to achieve a substantial reduction in the quantities of dirt and moisture that get into a building. The danger of slipping on wet floors is minimised. In addition, the entrance mats reduce regular cleaning costs.

Entrance mats are not only used in entrances and other places of access to a building. With a wide range of mat combinations, they are also effective in other areas where particularly large quantities of dirt are to be found. This diagram illustrates how our diverse range of entrance matting systems can be put to good use in a building.



ZONE 2 ZONE 3

Ribbed Carpet and Scraper Bar

ZONE 2 ZONE 3

Ribbed Carpet

ZONE 1

Grooved Rubber

ZONE 1

Cassette Brush

ZONE 1 ZONE 2

Grooved Rubber and Brush Strip

ZONE 2 ZONE 3

Ribbed Carpet and Brush Strip

ZONE 1 ZONE 2

Grooved Rubber and Cassette Brush

ZONE 2 ZONE 3

Ribbed Carpet and Cassette Brush

GEGGUS ENTRANCE MATTING SYSTEMS KEEP PUPILS, TEACHERS AND VISITORS SAFE FROM SLIPS AND TRIPS.

Educational buildings receive some of the highest levels of foot traffic, with particularly high intensity during certain periods of the day (start and end of the school day, break times etc). It is important to specify the most appropriate entrance mat for the safety of pupils, teachers and visitors.

Durability and budget: Most schools have limited funding, so it is important to specify a system that is designed to last and offers durable performance.



GEGGUS Top Clean entrance mats come with a ten year, product, and material defect warranty, providing assurance to the longevity of our entrance matting systems.



INDOOR

FOR SCHOOLS


TOP CLEAN TREND®



The Ultimate Solution: for schools that have medium-high levels of footfall and dirt and moisture ingress, we recommend specifying: 'Top Clean Trend® with Ribbed Carpet', for indoor use.

- > 12mm height for shallow recess or surface-mounted applications
- > 17mm height for standard recess matwells
- > 22mm / 27mm also available

Ribbed Carpet (UV-resistant heavy duty polypropylene), available in the following




Go to the product: <https://www.geggus.co.uk/products/entrance-mats/aluprofilemats/top-clean-trend>

Entrance Matting System	Indoor	Height	Traffic	Mat Laid supported	Mat Laid Self-supported	Load Per Wheel	Wheel Chair	Lug-gage Trolley	Shop-ping Trolley	Trans-port Trolley	Lift Truck	Car	Fork Lift Truck
Top Clean TREND®	■	12 mm	normal	6,000 kg	–	200 kg	■	■	–	–	–	–	–
Top Clean TREND®	■	17 mm	medium	5,000 kg	200 kg	210 kg	■	■	■	■	–	–	–

ALL PROFILES FEATURE HIGHLY EFFECTIVE IMPACT SOUND INSULATION.

Top Clean TREND® with Ribbed Carpet (Article no. 12005 R)

The ribbed carpet insert is a standard specification for an urban area, for alternative combination options please see the next page.



- For use indoors or in covered outdoor areas
 - DDA Compliant
 - Recyclable
 - Rust-proof
- (Product properties depend on the selected combination)

OUTDOOR

FOR SCHOOLS


TOP CLEAN TREND®



The Ultimate Solution: for schools that have medium-high levels of footfall traffic and dirt and moisture ingress, we recommend specifying: 'Top Clean Trend® with Grooved Rubber and Cassette Brush', for outdoor use.

- > 22mm height for standard external recess applications
- > 27mm height for external recess applications in extreme environments/heavy soilage
- > 12mm / 17mm also available

Anti-slip Grooved Rubber (EPDM) with multidirectional grooves, heavy duty and UV-resistant. Cassette Brush (robust, heavy-duty polyamide 6m anti-slip). Available in the following colours:




Entrance Matting System	Out-door	Height	Traffic	Mat Laid supported	Mat Laid Self-supported	Load Per Wheel	Wheel Chair	Lug-gage Trolley	Shop-ping Trolley	Trans-port Trolley	Lift Truck	Car	Fork Lift Truck
Top Clean TREND®	■	22 mm	medium	5,000 kg	300 kg	220 kg	■	■	■	■	■	–	–
Top Clean TREND®	■	27 mm	medium	5,000 kg	500 kg	220 kg	■	■	■	■	■	–	–

ALL PROFILES FEATURE HIGHLY EFFECTIVE IMPACT SOUND INSULATION.

Top Clean TREND® with Grooved Rubber and Cassette Brush (Article no. 12005 GP)

The grooved rubber and cassette brush insert is a standard specification for an urban area, for alternative combination options please see the next page.




- For outdoor use
 - Recyclable
 - Rust-proof
- (Product properties depend on the selected combination)

ALTERNATIVE COMBINATION OPTIONS


Our Top Clean TREND® range offers several insert options, to suit each school's specific requirements.

INDOOR: Top Clean TREND® with Ribbed Carpet





For most situations where foot traffic is arriving from predominantly concrete and asphalt surfaces.

INDOOR: Top Clean TREND® with Ribbed Carpet and Scraper Bar




For when coarse dirt is of concern and additional stability is required for passing trolleys etc.

INDOOR: Top Clean TREND® with Ribbed Carpet and Brush Strip





For when moisture and grit are the main concern and there is no external mat in zone 1. Also suitable for zone 2.

INDOOR: Top Clean TREND® with Ribbed Carpet and Cassette Brush





For when moisture, grit, and coarse dirt are the main concern and there is no external mat in Zone 1. Also suitable for zone 2.

OUTDOOR: Top Clean TREND® with Grooved Rubber





For the external mat in zone 1, where foot traffic is arriving from predominantly concrete and asphalt surfaces.

OUTDOOR: Top Clean TREND® with Grooved Rubber and Brush Strip





For the external mat in Zone 1 where foot traffic is arriving from hard surfaces but with an element of gravel.

OUTDOOR: Top Clean TREND® with Grooved Rubber and Cassette Brush



For the external mat in zone 1, where foot traffic is arriving from surfaces with gravel. Also perfect for zone 2 when coarse dirt removal is required.

OUTDOOR: Top Clean TREND® with Cassette Brush



For the external mat in Zone 1 where foot traffic is arriving from surfaces with mud and gravel.

FOR SYSTEMATIC PROTECTION. ASSURED VALUE FOR MONEY.

Our 3-zone solution takes dirt collection to a new dimension. With a universal design, our entrance matting systems work seamlessly together, enabling a complete 'through solution' to be created from outside to indoors, to provide a series of individual 'clean-off' zones.

Step by Step: Our profile inlays with combinations of materials ensure that moisture and coarse dirt are reliably removed from shoe soles and not carried further indoors – before people actually enter the building and specifically in frequently used entrance areas.

We also take a systematic approach to the issue of safety. Protection against moisture and dirt, together with the anti-slip function, lead to a lasting reduction in the risk of accidents and ensure greater safety.

THREE CLEAN-OFF ZONES. COMBINED IN A SINGLE SOLUTION.



ZONE 1
See **GOLD STANDARD Outdoor** (Page 5)

OUTDOOR AREA

Absorption of coarse dirt:
Removal of dirt before entering the building

Effect:
Increased effectiveness of subsequent entrance mats

Advantage:
Protection against coarse dirt and moisture

PRODUCTS:
Matting systems for outdoor areas

ZONE 2

INTERMEDIATE ZONE

Frequently used entrance areas:
Efficient removal of even large quantities of dirt

Effect:
Reinforced protection function in combination with zone 1 entrance mats

Advantage:
Protection against coarse dirt and moisture

PRODUCTS:
Matting systems for indoor areas
Matting systems for outdoor areas

ZONE 1
See **GOLD STANDARD Indoor** (Page 5)

INDOOR AREA

Absorption of fine dirt:
Reliable protection against fine dirt particles and residual moisture

Effect:
Lasting absorption of persistent dirt and moisture



Advantage:
Additionally reduces dirt and moisture, and stops it being carried into the building

PRODUCTS:
Matting systems for indoor areas

THE ADVANTAGES AT A GLANCE:

- Substantial reduction of dirt ingress
- Clear decrease in cleaning costs
- Protection of adjoining floors
- Long-term preservation of the building's value

DIRT INGRESS



CREATE A WOW EFFECT.

WE'LL MAKE YOUR ENTRANCE AREA A MAJOR HIGHLIGHT.

GREAT

EXPERTISE

Our planning, advice and implementation are based on experience and in-depth expertise.



IMPACT SOUND

Highly effective insulation technology, one of our core benefits.



DELIVERY

We'll deliver your order quickly, in just 8 working days.



WARRANTY

You benefit from a 10-year warranty and a high degree of reliability.



SUSTAINABLE

We conserve resources in production and work climate-consciously.



AWARD-WINNING

Our products are award-winning.





CONTACT



GEGGUS[®]

GEGGUS GmbH
Höhefeldstraße 56-60
76356 Weingarten (Baden)
Germany
+49 7244 7055-0
info@geggus.de
www.geggus.com